

TECHNICAL SPECS / 2025

Octave-Crémazie Hall



GRAND
THÉÂTRE
QUÉBEC



October, 1 2025

Table of contents – Contact information

TABLE OF CONTENTS

Stage	pages 3–4
➤ Acces	
➤ Dimensions	
➤ Curtains	
➤ Risers	
Lighting	pages 5–6
➤ Console, instruments	
➤ Mobile equipments	
➤ Misc	
Sound	pages 7–9
➤ House PA, Monitorings	
➤ Micros, misc	
➤ Others equipments	
Video / projection	page 10
➤ Booth	
➤ Projecteurs	
➤ Screens	
➤ Camera	
Rental equipments	page 11
➤ Video projectors	
Security rules / other services	page 12
➤ Security	
➤ Rehearsal studio	
➤ Dressing rooms	
➤ Union	

CONTACT INFORMATION

Grand Théâtre de Québec

269 boul. René-Lévesque est
 Québec (Québec) G1R 2B3
 CANADA
 Phone : (418) 643- 8111

Services scéniques : poste 2120

Technical director

Philippe Poulin : ext 8601
ppoulin@grandtheatre.qc.ca

Technical coordinator

Nadine Delisle : ext 8602
ndelisle@grandtheatre.qc.ca

Head carpenter

Jean-Nicolas Soucy : poste 8620
insoucy@grandtheatre.qc.ca

Head electrician

Nyco Desmeules : poste 8621
ndesmeules@grandtheatre.qc.ca

Head sound operator

Rejean Julien : poste 8622
rjulien@grandtheatre.qc.ca

Head video operator

Pierric Ciguineau : poste : 8623
pciguineau@grandtheatre.qc.ca

ACCES

- South of Jacques-Parizeau Street, entrance via parking lot.
- Loading dock for 2 trucks with levellers (slope driveway)
- Dock at 4 ft (1,20 m) high
- Door 13 ft (2,95 m) wide by 9 ft (2,75 m) high
- 3 outlets 240 V, 3 ph, 60 A

ELEVATORS

- 1 small freight elevator
wide : 15 ft (4,55 m) deep : 7 ft (2,13 m)
high : 10 ft (3,05 m)
door opening : 11 ft 6 in x 10 ft (3,05 m x 2,30 m)
- Sprinkler pipe at 9 ft 7 in (2,97 m) high, in front of small freight elevator
- 1 large freight elevator (stage elevator) :
Deep : 69 ft (21m)
Wide : 7 ft 5 in (2,25 m)
High : 9 ft 11 in (3,02 m)
- The elevator can rise 7 ft (2,13m) above stage floor.

SEATING HOUSE CAPACITY

- 506 seats
- 75 seats that can be removed. For more information, please contact stage manager.
- 4 places for wheel-chairs

STAGE FLOOR

- Painted flat dark brown, wood B.C. fir
- Stage floor can be drilled and screwed into. Upon load-out the floor must be restored.
- There are 32 removable traps, 3 ft 6 in x 3 ft 6 in (1,07 m x 1,07 m)
- Stage capacity 250 lb/ft²
- Traps capacity 150 lb/ft²

DIMENSIONS

- No proscenium
- Width: 64 ft 8 in (19,70 m)
- Height under the pipe : 18 ft 4 in (5,60 m)
- Width from wing to wing : 73 ft (22,25 m)
- Depth : 44 ft (13,40 m)

FLY SYSTEM

- 10 pipes on stage and 7 in the house, double purchase counterweight system.
- Distance between each pipe is an average of 12 in (30 cm), length 46 ft (14 m)
- Fly system is run from stage right on the mezzanine.
- 1 manual lighting pipe (N° 6)
- Capacity of each line set : 500 lb (225 kg)

CEILING

The ceiling is equipped with motorized and manual pipe. Each one is 63 ft 8 in (19,41 m) long.

Capacity :

on stage

- pipe A : 8000 lb (3636 kg)
- pipes B, C, D, E, F : 4500 lb (2045 kg)
- motorized pipe : 1600 lb (727 kg)
- pipe right and left : 1500 lb (682 kg)
- allemande (side pipes) : 850 lb (386 kg)

in house

- small perch : 275 lb (125 kg)
- long perch : 375 lb (170 kg)
- triangular truss : 1100 lb (500 kg)

HOUSE CURTAIN

- Royal blue velvet main curtain,
- Center opening on motorised traveller,
- Remote-control stage left or can be DMX

BORDERS

- 3 : 6' x 47',8'' (1,8m x 14,50m)
- 2 : 8' x 47',8'' (2,44m x 14,50m)
- 2 : 12'' x 68' (0,30m x 20,73m)
- 4 : 18'' x 68' (0,46m x 20,73m)
- 2 : 24'' x 68' (0,61m x 20,73m)
- 7 : 30'' x 68' (0,76m x 20,73m)
- 3 : 36'' x 68' (0,914m x 20,73m)
- 1 : 48'' x 68' (1,25m x 20,73m)
- 1 : 60'' x 68' (1,52m x 20,73m)

FRAMED LEGS

- 16 of 18 ft x 48 in (5,49 m x 1,24 m)
- 6 of 18 ft x 24 in (5,49 m x ,60 m)

If you need them, please contacted stage manager before.

LEGS

- 7 : 15' x 18',4'' (4,57m x 5,60m)
- 8 : 13' x 18',4'' (4m x 5,60m)
- 12 : 8',8'' x 18',4'' (2,65m x 5,60m)
- 6 : 4' x 18',4'' (1,22m x 5,60m)

OTHER CURTAINS

- Between pipe 32 and pipe 33
 - 1 manual curtain on travelers split in 2 sections
 - 33 ft x 17 ft 6 in (10,05 m x 5,36 m)
- Pipe 43
 - 1 manual curtain on travelers split in 2 sections
 - 33 ft x 18 ft 3 in (10,05 m x 5,56 m)
- Pipe 42
 - 1 white cotton cyclorama
- 1 white scrim
- 3 blacks scrims

SMALL ORCHESTRA SHELL

- 14 flat panels of 4 ft x 16 ft (1,25 m x 4,90 m)

RISERS

- 12 units 4 ft x 4 ft (1,2 m x 1,2 m)
- 4 units 2 ft x 4 ft (0,6 m x 1,2 m)
- Height available:
 - 8 in (20 cm)
 - 12 in (30,5 cm)
 - 16 in (40,6 cm)

Upon request, subject to availability

- 33 units 4 ft x 8 ft (1,2 m x 2,4 m)
- 12 units 2 ft x 4 ft (0,6 m x 1,2 m)
- 66 units 4 ft x 4 ft (1,2 m x 1,2 m)

Height : 8''-10''-12''-16''-24''

EQUIPMENT

(Upon request, subject to availability)

- 3 Steinway 9 ft Grand piano (model D), pitch : *la* 440 Hz
- 1 Yamaha U5 (52 po) upright piano
- Chairs
- Music stand
- Music stand light
- Conductor's podium with rail
- Conductor's music stand

DANCE EQUIPMENT

(Upon request, subject to availability)

- Vinyl dance floor «Harlequin Studio», black colors
 - 21 rolls of 41 ft x 5 ft (12,5 m x 1,5 m)
- 6 portable ballet bars 10 ft (3,05 m)
- Boxes for rosin
- Ice is always available

CHORAL RISERS

(Upon request, subject to availability)

8 x 3 step folding bleachers for 100 chorists **CONSOLE LOCATION**

In a booth, front of house or beside the sound board.

CONSOLE LOCATION

In a booth, front of house or beside the sound board.

CONSOLES

ETC ION XE-20

ETC APEX-10

ETC Element 2

ETC Express 48/96

GrandMA2 ultra-light

DIMMERS

AVAB DII digital

- 468 dimmers of 2,4 kW
- 12 dimmers of 6 kW

PERMANENT HOUSE LIGHTING INSTRUMENTS

- 24 Robert Juliat 611SX, spotlight profile 11°–26°, 1 kW
 - 12 on the galery,
 - 12 on lighting bridge N° 1 with 12 iris.
- 12 Vari-Lite VL1100 TS, 1 kW, permanent fixture, foh
 - 1 on small perch x 2
 - 2 on long perch x 2
 - 6 on triangular truss

LIGHTING INSTRUMENTS

- 12 Robert Juliat profile spotlight 613SX, 28°–54°, 1 kW
- 12 Robert Juliat profile spotlight 614SX, 16°–35°, 1 kW
- 4 Selecon Pacific zoom spotlights, 54°–75°, 750 W
- 8 ETC Source Four zoom spotlight Zoom 25°–50°, 575 W, with iris
- 38 ETC Source Four profile spotlight 50°, 575 W
- 48 ETC Source Four profile spotlight 36°, 575 W
- 48 ETC Source Four profile spotlight 26°, 575 W
- 24 ETC Source Four profile spotlight 19°, 575 W, with iris
- 15 Altman baby Fresnels, 150 W
- 6 junior Arri Fresnels, 300 W
- 10 Altman Fresnels, 500 W, 6 po
- 72 Strand Patt Fresnels. 223, 1 kW
- 16 Strand 3480 Fresnels, 2 kW, 8 po
- 4 Bambino 3505 Fresnel, 5 kW
- 36 PAR ETC Source Four Par, 575 W
- 38 PAR 64, 1 kW
- 20 PAR 16, 150 W, 120 V
- 8 ACL on 2 bars of 4
- 32 Vari-Lite VL-1100 TS profile spotlight, 1 kW

PAR LED PROJECTORS

- 24 Chauvet Colorado 3 Solo
- 10 LED RGB(type colorBlast) LCG, B314 ip

MOVING LIGHTS

- 36 Vari-Lite VL1100 TS, 1 kW
(All VL1100 can be used as a «Fresnel», they are equipped with corrector)

Upon request, subject to availability

- 12 ROBE Forte
- 10 Vari-Lite VL3000 Q SPOT, HMI, 1200 W
- 4 Vari-Lite VL3500 Q SPOT, HMI, 1200 W
- 8 Martin MAC 700 Profile

GELS FRAME SIZE

- 3¾ po (9,5 cm)
 - Baby Fresnel Altman
- 4½ po x 4¾ po (11,5 cm x 12 cm)
 - Altman Zip Strip MR-16
- 7½ po (19 cm)
 - ETC Source Four
 - Fresnel Altman 500 W 6 po
 - Robert Juliat
- 8½ po (21,5 cm)
 - Fresnel Strand Patt. 223
- 8½ po x 9 po (21,5 cm x 23 cm)
 - Strand Patt. S/64
- 10 po (25,7 cm)
 - Fresnel Strand 3480 2 kW
 - PAR 64
- 12½ po (32 cm) ronde
 - Fresnel Bambino 3505 5 kW

MISCELLANEOUS / HARDWARE

- 1 smoke machine, High End FQ-100
- 1 fog machine.
- Gels Lee Filters
- 48 half hats, 7½ in (19 cm)
- All connectors are ACNOR : L5-20
- Booms
- Side arms
- Floor bases
- Barn doors
- etc...

COMPANY SWITCH

- 2 main panel, 120/208 V, 3 ph, 200 A, upstage right

LIGHTING TRUSS

(Upon request, subject to availability)

- Arcofab model TTD-1212-S aluminium, total length 72 ft (22 m)
 - 8 truss of 12 in x 12 in x 8 ft (30 cm x 30 cm x 2,40 m)
 - 2 trusses of 12 in x 12 in x 4 ft (30 cm x 30 cm x 1,20 m)
 - 8 floor plate of 36 in x 36 in (90 cm x 90 cm)
 - 4 top plates for truss.

MIX POSITION

Center back of the house.

FRONT OF HOUSE CONSOLE

- AVID S6L
 - Control surface : AVID S6L-24D
 - Engine : AVID E6L-192
 - I/O : AVID Stage 16
 - 1 local 16
- Plugins
 - Sonnox Dynamic EQ
 - Sonnox supresser DS
 - Sonnox TransMod
 - Sonnox Inflator
 - Empirical Lab Arouser
 - Flux Bitter Sweet V3
- Stage rack #1 AVID Stage 64
 - Input :
 - 7 x analogs boards SRI-192
 - 1 x board AES DSI-192
 - Output :
 - 3 x analogs boards SRO-192
 - 1 x board AES DSO-192

EFFECTS, PROCESSORS

- 1 Lexicon 300, multi-effects
- 1 Lexicon PCM-92

PLAYERS, RECORDERS

- 1 player system redundancy
 - 2 Mac mini Quad Core i7, 16 Go, 2 SSD 256 Go
 - 2 interfaces audio RME MADIface XT
 - 2 interfaces MIDI M-Audio Midisport 4x4
- 1 iMac 21,5 po Quad Core i7 3,6 GHz, 32 Go
 - ProTool software 128 pistes AVB
 - SMAART V8 software
 - QLab software v.5.5.3
 - Widget-Pro software
 - Abelton Live software v9 et v10
 - Max/MSP software, Jitter 7
- 1 CD Denon DN-C640
- 1 CD Denon 700

PA HOUSE SYSTEM

- L-Acoustics KIVA speakers
 - 6 KIVA
 - 2 SB15 each side on the ground
 - 6 KIVA cluster center
 - 2 SB18 on the ground, each side
 - 9 5XT front fills
- L-Acoustics amplifiers
 - 4 x LA4
 - 1 x LA8

SURROUND SPEAKER

- 3 L-Acoustic 108 right side
- 3 L-Acoustic 108 left side
- 1 L-Acoustic 108 mobil

MONITOR CONSOLE

- AVID S6L
 - Surface : AVID S6L-24D
 - Engine : AVID E6L-144
- Plugins
 - Empirical Lab Arouser

STAGE MONITORS

- 8 x L-Acoustics X8
- 10 x L-Acoustics X12

Upon request, subject to availability

- 8 x Meyer MJF-212-A
- 8 x Meyer MJF-210-A

MICROPHONES

- 3 SE V7
- 3 Shure SM58S
- 8 Shure SM58
- 2 Shure 565SD
- 1 Crown PZM
- 3 AKG C414 XLS
- 4 Audio Technica ES915ML
- 5 Crown PCC-160
- 10 Neumann KM 184
- 2 Crown LM300A
- 2 Countryman Isomax M2CP4FF10 cardioïde.
- 2 Sennheiser 421
- 3 Sennheiser e604
- 2 Sennheiser e604
- 2 Sennheiser e914
- 2 Sennheiser e906
- 2 Sennheiser e935
- 1 Sennheiser e902
- 1 Shure Beta 52
- 1 Shure Beta 57
- 2 Shure SM 57
- 1 Shure Beta 98 H/C (clip)

WIRELESS MICROPHONES

Sennheiser series 5000

- 7 bodypack transmitter SK 5212II
- 4 handheld SK 5200II with KK-104 cardioid capsules
- 2 double receivers EM 3732II

Accessoires

- 4 omni handsets 4066 F
- 6 DPA 4061 gold
- 4 DPA 4061 black
- 4 DPA 4060 black
- 4 DPA 4060 gold
- 8 lavaliers MKE2 black
- 8 lavaliers MKE1 black
- 2 lavaliers MKE1 white
- 2 lavaliers MKE1 gold
- 3 headsets with cardioid capsule ME104
- 2 headsets DPA 4088F with DPA to Lemo DAD6003 adapters

• 4 headsets DPA 4066 omni
Extra microphones
(Upon request, subject to availability)

- 3 AKG C-414 EB
- 4 AKG C-414 ULS
- 2 AKG C-451 with :
 - 2 CK-1 capsules
 - 2 CK-5 capsules
 - 1 CK-8 (canon) capsules
- 5 AKG C-460,
 - CK-1 capsule
- 3 AKG C-535
- 2 Audio-Technica AT4050/CM5
- 5 Audio-Technica ATM 35
- 4 Audio-Technica ES 915
- 4 Beyer Opus 51
- 1 C-Ducer stéréo
- 4 Countryman Isomax 2 C-10
- 2 Countryman Isomax 2 H-10
- 5 Crown PCC-160
- 3 Crown LM 300A 17 po
- 4 Electro-Voice 308-A
- 1 Electro-Voice RE-20
- 1 Electro-Voice RE-320
- 14 Neumann KM 184
- 2 Neumann KMS 105
- 4 Neumann TLM 103
- 2 Neumann U87
- 10 Sennheiser 421
- 2 Sennheiser 441
- 4 Sennheiser e604
- 4 Sennheiser e904
- 4 Sennheiser e906
- 6 Sennheiser e935
- 2 Sennheiser MKH 40
- 2 Shure Beta 52
- 3 Shure Beta 57
- 8 Shure SM 57
- 2 Shure Beta 58
- 16 Shure SM 58
- 6 Shure SM 58S
- 4 Shure Beta 87A
- 2 Shure Beta 91
- 4 Shure Beta 98
- 6 Shoeps CMC 6-U
 - 4 cardioïde capsule
 - 2 hypercardioïde capsule
- Crown PZM 315

DIRECT BOX

- 6 Radial JDI mono passive
- 4 Radial JDI stéréo passive
- 4 Radial JDI mono active J48

ACCESSORIES

- 75 K&M black microphone stand
 - Small and tall

COMMUNICATION

- 1 Riedel systems
 - 8 Bolero beltpack
- Dressing room paging
- 1 Albatros audio 5.5B, press box

AUXILIARY EQUIPMENT

(Upon request, subject to availability)

- 1 Midas Venice 160 console
- 2 Mackie 1402VLZ-PRO console
- 4 Meyer UPM-1P, powered speakers with stand
- 2 iso transformer, stereo
- 3 personal monitors Fostex 6301B
- 4 personal monitors Yamaha MSP3
- 1 TC Electronics Level Pilot
- 1 Palmer Audio Monicon PMC1, mini mixer.

HEARING IMPAIRED

FM system (98,5) portable radios
available at coat check

PROJECTION / VIDEO BOOTH

- In a booth, front of house

VIDEO BOOTH EQUIPMENT

- HD-SDI Blackmagic SmartHub16x16
- HD-SDI Blackmagic HyperDeck Studio Pro
- 1 iMac Pro
 - 1 Millumin software
 - 1 Qlab software
- 1 iMac Pro
 - 1 Millumin software
- 1 Blackmagic capture and playback
 - 4 input SDI
 - 4 output SDI
- Blackmagic SmartView, monitor video

VIDEO PROJECTOR

- 3 Epson pro L1755unl HD 15K
(See page 12, rental equipment)
- 3 Sharp XG-P610X, 3 DLP, 6000 lm
(See page 12, rental equipment)
- 2 Christie Roadster HD 14K-M, 3 DLP, 14 000 lm
(See page 12, rental equipment)

SCREENS

(Upon request, subject to availability)

- 1 x 9 ft x 16 ft (2,74 m x 4,90 m) ,
front or rear projection screen

CAMERAS AND HARDWARE

(Upon request, subject to availability)

- 2 Sony PXW-X180 camera
 - 2 Marshall CV500-MB camera
 - 1 Marshall CV342-CSB camera
 - 4 Sony SRG-360SHE full HD remote camera
 - 1 Sony RM-IP500 camera remote controller
- 2 504HD 546BK tripod sys

VIDEO PROJECTORS

- 3 Projector Epson pro L1755unl
HD 15K
- lentilles
(inclus dans la location du projecteur)
 - 3 zoom 0,48:1, 0,57 :1
 - 3 zoom 1,19 :1, 1,62:1
 - 1 zoom 2,42 :1, 3,71:1

Projector Sharp 6000 lm

- 3 projectors Sharp XG-P610X, 3 DLP,
6000 lm
250 \$/ day rental fee
- lens
(included with the rental, no charge)
 - 2 fixes 0,8:1
 - 3 zoom 1,5–1,8:1
 - 1 zoom 1,8–2,25:1
 - 1 zoom 2,25–3,0:1
 - 1 zoom 3,0–4,5:1

Projectors Christie Roadster HD

(Upon request, subject to availability)

- 2 projectors Christie Roadster HD
14K-M, 3 DLP, 14 000 lm
500\$ / day rental fee
- lens
(included with the rental, no charge)
 - 2 fixe ILS 0,67:1 HD
 - 1 zoom ILS 1,8–2,6:2 HD
 - 1 zoom ILS 2,6–4,1:1 HD
 - 2 zoom ILS 4,6–6,9:1 HD

**REHEARSAL STUDIO SJA
(2^e sous-sol S2)**

- Floor : linoleum on plywood
- 37 ft x 60 ft (11,20 m x 18,25 m)
- Must be reserved previously :
 - Rental: 125 \$/ 4 hours

Studio equipment

- Chairs
- Tables
- Mirrors
- Sound system

**Rehearsal studio SR3
(3^e étage)**

- Floor : linoleum on plywood
- 40 ft x 60 ft (12,20 m x 18,25 m)
- Must be reserved previously :
 - Rental: 125 \$/ 4 hours

Studio equipment

- Chairs
- Music stands
- Table
- Ballet bars
- Mirrors
- Sound system
- 7 ft Bösendorfer Grand piano.

Upon request for both studios

- Vinyl dance floor «Harlequin Studio»
- Audio or video monitors
- Risers
- Ballet bars
- Music stands

DRESSING ROOMS

Equipped with mirrors, lights, toilets and showers, Wi-Fi

- 2 rooms for 2 persons
- 1 room for 3 persons
- 1 room for 4 persons
- 1 room for 8 persons
- 1 make-up room for 3 persons
- 1 production office / green rooms
 - Stage monitoring
 - Phone
 - Refrigerator
 - Sink
 - Seating for 8 persons

COSTUME MAINTENANCE

- Washing machines
- Driers machines
- Sewing machine
- Steamers
- Rolling costume racks

NB : Wardrobe employees will do steam ironing, pressing and minor repairs only. No creation or major repairs

UNION CREW

Technicians, dressers and projectionists are members of the *International Alliance of Theatrical Stage Employees, Moving Picture Technicians, Artists and Allied Crafts of the United States, its Territories and Canada, local 523 (IATSE), Québec.*

Wi-Fi

- Available anywhere in Grand Theatre.

SECURITY

Safety helmet and steel toed shoes are mandatory during loading in and loadout.